



The World's Leading Destratification & Air Purification Fan Manufacturer

Web: www.airius.co.uk Tel: +44 (0) 1202 554200





Get In Touch

Call: 0845 6880112





TRUST IN AIRIUS

Formed in 2004, we have revolutionised

the air purification and energy reduction industry.



Table of Contents

- 03. What Is The Airius PureAir PHI? Clean your air & eliminate odours
- 03. How Does It Work?

 Natural cleaning agents
- 04. The PureAir PHI Series
 Continuous air purification & infection control
- **04.** Features & Benefits
 All inclusive advantages of the PureAir PHI Series
- 06. The PHI Cell
 Photohydroionisation technology
- 06. Tested & Certified Independently tested & verified
- 07. Independent PHI Test Results
 Microbial reductions & organic kill spectrum
- **08.** Technical Data
 Fan model, motor and coverage data
- 09. Installation

 Mounting instructions
- Case Studies
 Customer installations, trials & feedback
- 12. Contact Details

 Email, telephone & address information

Airius has helped thousands of businesses,

from SMEs to major blue chip companies make real improvements in air quality, as well as a significant reduction in energy usage.









Call: <u>0845 6880112</u>





What is the Airius PureAir PHI?


he Airius PureAir PHI Series is an air purification and airflow circulation fan system, incorporating the latest in PHI (Photohydroionisation) Cell technology from RGF Environmental, one of the world's leading specialists in air, water and food purification, to efficiently and effectively neutralise up to 99% of all harmful germs, bacteria, viruses, mould and other contaminants in any internal environment.

The PHI Cell emits 'Ionised Hydroperoxides', a naturally occurring cleaning agent, which are circulated throughout spaces via the fan. As the fans continue to circulate internal atmosphere, the PHI circulates its neutralising Ionised Hydroperoxides, providing 24/7 continuous Air Purification.

The PureAir PHI also provides all the features and benefits of the world's most popular destratification and airflow circulation fan, balancing temperatures, improving comfort, reducing heating and cooling costs and reducing carbon emissions.



How does it work?




The Airius PureAir PHI Series incorporates a patented PHI (Photohydroionisation) Cell within the fan unit, which projects a broad spectrum HE/UV light on to a quad metallic catalyst target in a moist atmosphere. This process causes a unique oxidation reaction that produces friendly oxidisers called 'Ionised Hydroperoxides'.

Hydroperoxides are known as 'Mother Nature's Cleaning Agent' and are what make the air smell clean after a Thunderstorm.



Get In Touch

Call: 0845 6880112



Our Address





PureAir PHI Series

he Airius PureAir PHI air purification and infection control system significantly improves indoor air quality (IAQ) reducing viruses, bacteria, gases, VOCs (Volatile Organic Compounds), mould and odours by up to 99%+ using an integrated PHI Purification Cell, whilst its advanced atmosphere oxidisation technology gives indoor environments fresh, clean and odour free air.

This makes it the perfect low cost solution for hospitals, care homes, doctors & dentist surgeries, children's nurseries and food preparation facilities etc in maintaining a clean, healthy and odour free environment.

In addition, while the air is continuously being purified the space is also being thermally equalised (destratification). This results in improved comfort through the elimination of hot and cold spots and the potential for a significant reduction in energy consumption by balancing the floor and ceiling temperatures





Benefits

- Continuous air purificatior
- Kills over 99% surface bacteria & viruses
- Kills over 97% airborne bacteria & viruses
- Reduces odours by over 99%
- Reduces mould by up to 98%
- Reduces gases, vapours & VOCs by over 80%
- Reduces pet dander, pollen and dust
- Established and proven technology
- 120 day money back guarantee (UK only)

- Reduces staff absenteeism
- Reduces Sick Building Syndrome
- Advanced oxidisation technology
- Simple to install with no ducting required
- Small versatile unobtrusive unit
- Clean & healthy care environment
- Cost effective Indoor Air Quality solution
- No maintenance required
- 5 year Fan & 2 year PHI cell warranty



Get In Touch

Call: <u>0845 6880112</u>

Call Airius today to receive

a fully tailored quotation for your building.

+44 (0) 1202 554 200

Or email: info@airius.co.uk

All-inclusive features

Advanced Oxidisation

The PHI Cell uses a safe yet aggressive oxidisation process to break down harmful containments, leaving only Oxygen & Hydrogen remaining.



Tested & Certified

subways & government buildings.



Cleans Air & Surfaces

Cell not only provides airborne protection, but also eliminates over 99% of all surface germs, bacteria & viruses.



Improved Comfort

As well as cleaning air & surfaces the PureAir PHI circulates airflow and balances temperatures to save up to 50% on HVAC costs.











Call: <u>0845 6880112</u>








The PHI Cell

The Integrated RGF PHI CellTM is the latest advancement in PhotohydroionisationTM Technology, using an Advanced Oxidisation Process to clean air and eliminate odours.

t the heart of every PureAir PHI Series fan is a unique PHI (Photohydroionisation) Cell from one of the worlds leading air, water and food purification specialists RGF Environmental.



The PHI Cell is proprietary broad spectrum, high efficiency UV bulb, which works with a hydrated quad-metallic target.

UV Light is projected onto the hydrated target, which acts as a catalyst for a reaction with water vapour (a hydroxyl radical reaction of the broad spectrum). This results in the production of hydroperoxides, super oxide ions, passive negative ions, hydroxides and ozonide ions.

These safe and naturally occurring ions and oxides are circulated throughout spaces via the fan, which then bond with germs, bacteria and viruses, reacting with an advanced oxidisation process that breaks them down, rendering them inert, safe and odour free. In addition to biological pollutants they also neutralize chemicals such as mercury, benzene, formaldehyde, chloroform, and ammonia.

Tested & Certified





















The Laboratories, Universities and Organisations above are but a few of the certifying bodies to have tested RGF PHI Technology.

These, in addition to all the Testing Organisations named in the table opposite, have had their results reviewed and verified by the United States Government.



Get In Touch


Call: 0845 6880112





PHI Independent Test Results

Microbial Reduction over 24-48 hours



Hours

	Reduction	Time Period	Tested By	
COVID19 (SARS-CoV-2)	99%+	24 Hours	Innovative Bioanalysis Laboratories	
MRSA	99%+	24 Hours	Kansas State University	
SWINE & BIRD FLU	99%+	24 Hours	Kansas State University	
SARS	99%+	24 Hours	NEI-Chinese Government	
NORWALK VIRUS	99%+	24 Hours	Midwest Research Institute	
CLOSTRIDIUM DIFFICILE	99%+	24 Hours	Kansas State University	
TUBERCULOSIS	99%+	24 Hours	Kansas State University	
LEGIONELLA	99%+	24 Hours	Kansas State University	
PSEUDOMONAS SP.	99%+	24 Hours	Kansas State University	
BACILLUS SPP.	99%+	24 Hours	Kansas State University	
STACHYBOTRYS CHARTARUM	99%+	48 Hours	Kansas State University	
E. COLI	99%+	48 Hours	Kansas State University	
STREPTOCOCCUS PNEUMONIAE	99%+	48 Hours	Kansas State University	
LISTERIA	99%+	48 Hours	Kansas State University, Steris Labs, KAG, Eco Labs	
CANDIDA ALBICANS	99%+	48 Hours	Kansas State University	
STREPTOCOCCUS SP.	96%+	48 Hours	Kansas State University	
BACILLIUS GLOBIGII	99%+	48 Hours	Kansas State University	
STAPHYLOCOCCUS AUREUS	99%+	48 Hours	Kansas State University	
MOULD	-	-	California Microbiology Center, Independent Accredited	
Bacteria	99%+	48 Hours	Lab - IBR, Kansas State University, University of Florida,	
Mould	97-98%+	48 Hours	United Stares Air Force, R&D Labs, C&W Engineering, University of Cincinnati, Kane Regional Hospital	
Yeast	90%+	48 Hours		
ODOURS		-		
Pet Odours	72%+	24 Hours	C&W Engineering	
Perfume Odours	63%+	24 Hours	Cow Engineering	
Cleaning Chemicals	55%+	24 Hours		
SMOKE		-		
Odour	70%+	24 Hours	C&W Engineering	
Particulates	25%+	24 Hours		
VOCs	-	-		
D-limonene	98%+	24 Hours	AUGUAR A POLITICAL AND A STATE OF THE AUGUST	
Toluene	29%+	24 Hours	NELAP Accredited Independent Lab	
Methyl Ethyl Ketone	13%+	24 Hours		
CHEMICAL COMPOUNDS	-	-		
Methyl Mercaptan	100%	24 Hours		
Butyl Acetate	100%	24 Hours		
Methyl Metharcyline	100%	24 Hours	NELAP Accredited Independent Lab	
Hydrogen Sulfide	80%+	24 Hours		
Carbon Disulfide	30%+	24 Hours		
OZONE / EMF		-	FSIS, UL, ETL, TUV, CSA, ISSES, Disney	

CORONAVIRUS

In independent tests RGF PHI Cell technology was shown to have a 99.9% inactivation rate on surface and 99.5% inactivation rate on aerosol forms of the SARS-CoV-2 (COVID19) virus.

Testing commenced in March carried out in a 36m³ (1,280ft³) testing chamber using the SARS-CoV-2 virus, not a surrogate or similar virus. Results show the virus is killed on contact with the PHI's cleaning agents, effectively neutralising the virus within the chamber within a matter of minutes.

It is important to note that no medical claims are made

Disclaimer: All the tests above were performed on the RGF Environmental Reme Halo PHI Advanced Oxidation system with Advanced Oxidation Plasma of less than .02 ppm. They were conducted by independent accredited labs and university studies. They were funded and conducted by major RGF Environmental clients to assure third party credibility. PHI products are not medical devices and no medical claims are made.



Get In Touch

Call: <u>0845 6880112</u>

Technical Data

Every Airius PureAir PHI Series fan features a top of the range, highly reliable & energy efficient motor, independently tested by BSRIA, along with a top of the range RGF Photohydroionisation Cell.

Unit Dimensions & Weights

TECH SPECS	Model 10	Model 15	Model 25	Model 45
Range	PureAir PHI	PureAir PHI	PureAir PHI	PureAir PHI
Ceiling Heights ¹	2.5m - 4m	4m - 6m	6m - 8m	8m - 12m
Nozzle Heights ¹	2m - 3.5m	3.5m - 5.5m	6m - 7m	7.5m - 11m
Dia. Coverage ¹	8m - 10m	9m - 11m	11m - 13m	11m - 13m
Floor Area ¹	48m² - 72m²	60m² - 90m²	89m² - 133m²	89m² - 133m²
Volts ²	230	230	230	230
Watts ²	21-22	24-25	40-41	52
RPM ²	980	1230	1450	1450
CFM ²	318	406	459	595
m³/hr¹	540	690	780	1010
AMPS ²	0.06	0.06	0.14	0.19
IP Rating	IP55	IP55	IP55	IP44
Operating Temp ²	-20°C - 70°C	-20°C - 70°C	-20°C - 70°C	-25°C - 70°C
Thermal Shut Off ¹	110°C	110°C	110°C	135°C
Reset Temp ¹	90°C	90°C	90°C	125°C
Noise Level ²	0 - 21dB(A)	0 - 21dB(A)	0 - 31dB(A)	0 - 35dB(A)
Height (Inc Handle)	444mm	546mm	546mm	605mm
Height	311mm	413mm	413mm	455mm
Diameter	325mm	325mm	325mm	375mm
Weight	3.2 KG	4.1 KG	4.1 KG	6.3 KG
Shipping Height	370mm	450mm	450mm	490mm
Shipping Width	380mm	340mm	340mm	370mm
Shipping Length	380mm	340mm	340mm	370mm
Shipping Weight	6 KG	6 KG	6 KG	9 KG

 $\label{eq:Data} \textbf{Data above is calculated at 50Hz.}$



Get In Touch

Our Address

Call: <u>0845 6880112</u>

¹Motor data provided by motor manufacturer and is subject to change at any time.

²Noise Levels recorded at floor level from units installed at maximum ceiling height. Accurate as of February 2020. Each facility has unique fluid dynamics, please contact supplier to specify your system.



*Money back*GUARANTEE

Series warranty

All Airius PureAir PHI Series fans come with a 5 year Fan Replacement Warranty, as well as a 2 year PHI Cell Replacement Warranty. Simply return defective units to Airius, carriage paid and upon receipt Airius will dispatch a new unit by return carriage fully paid.

To avoid refurbishment and cleaning charges, all units returned must adhere to the returns criteria.

For further details email info@airius.co.uk or call on +44 (0) 1202 554200.

RGF PHI CELL	Max Purification Coverage ²	Estimated Run Time	Housing	
5" (127mm) Cell ¹	271.8m³	25,000 Hours	UV bulb, encased in a protective poly tube, encased in a metal cell	
9" (228mm) Cell ¹	1.472.5m³	25.000 Hours		


¹Data provided by cell manufacturer and is subject to change at any time.

Installation

Typically, Airius fans are installed in the ceiling space with the nozzle directed directly downwards and performs best when the air column is unimpeded to the floor.

Units must be hung using fixings such as hooks, chains, cables etc to professionally installed hardware capable of supporting a minimum of five times the weight of the unit.





Get In Touch

8

Call: <u>0845 6880112</u>



Puravent



²Units must be used in conjunction with additional Airius airflow circulation fans to achieve Maximum Purification Coverage.

Case Studies

PHI Cell Technology has been installed throughout a wide range of industries, including Hospitals, Schools, Care Homes, Offices and Manufacturing Facilities.

Tandara Lodge Care



Tandara Lodge Community Care is a residential aged care facility that also provides a wide range of health care services within the local community.

Their objective was to save energy on heating and cooling costs, as well as to clean the air and installed Airius units throughout their whole facility, 20 of which were PureAir PHI Series units.

In the 5 years that followed installation Tandara Lodge have not had a single notifiable outbreak, which is a significant achievement in the Aged Care Industry. They also benefited from:

- O notifiable outbreaks in 5 years
- £1,000's saved on containment and clean-up
- Reduced sickness from seasonal disease
- Reduced staff sickness and absences
- Reduced energy costs due to thermal destratification



Tarara Winery



Tarara Winery contacted Airius to provide a solution that would help reduce mould and VOC's, as well as provide airflow circulation and temperature equalisation throughout the winemaking facilities on their 475 acre vineyard. Their main goal was air purification in their winemaking cave.

The client was extremely pleased with the results following installation and found:

- Complete & thorough airflow circulation
- Immediate improvement in indoor air quality
- Mould reduced by 92% within 3 weeks
- All perceived VOC's eliminated in 2 weeks
- Notable improvement in product quality and reduction in spoilage due to airborne organisms and VOC's
- Significant reduction in HVAC costs.





Get In Touch

Call: 0845 6880112

Email: info@adremit.co.uk

Our Address



Harewood Dental

In response to the COVID19 Pandemic Harewood Dental Surgery needed to find a solution to help provide protection and reassurance for their staff and patients against the threat of infection from Coronavirus and other harmful pathogens. They had researched other air purification systems, but they did not clean surfaces or offer continuous instant protection against new contaminants brought in to the Surgery.



After contacting Airius and arranging installation of the PureAir PHI System, Harewood Dental Surgery have been very happy with the results:

- Carefully selected solution to provide protection in COVID19 high risk environment
- Provides confidence and reassurance to both staff and patients
- Eliminates unpleasant chemical odours and provides fresh, clean aroma
- Treats all the air and surfaces at the same time, without needing to go through a filter



Be At One - Cocktail Bars



- Eliminates unpleasant odours
- Also improves airflow circulation and comort

Be At One are a popular nationwide chain of Cocktail Bars. As part of their COVID19 risk strategy their Birmingham branch sought an air purification system that would provide continuous protection, not only against existing containments, but also against any new pathogens brought in by customers.

After researching the Airius system and arranging a free survey they installed PureAir PHI units throughout their bar area and were extremely pleased with the results:

- Provides 24/7 protection for staff and customers
- Purifies both the air and surfaces
- Instantly attacks any new containments



Elliotts - Showroom

Elliotts are a well-established machinery provider, serving businesses and consumers from their Cambridge headquarters. Although they had already introduced a host of measures in response to the COVID19 Pandemic, Elliotts sought to source additional

air purification to provide an extra level of protection for customers and staff.

Having reviewed numerous systems they discovered the Airius PureAir PHI and following installation have been very happy with the results:

- Continuous ongoing pathogen protection
- Immediately protects against new containments
- Hugely improved consumer confidence
- No dangerous contaminated filters to change
- Awarded Chamber of Commerce Business Hero Award for COVID19 strategy



Get In Touch

3

Call: <u>0845 6880112</u>



Email: info@adremit.co.uk

Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard, Settle, North Yorkshire, BD24 9RH







Airius Europe, Middle East & Asia

Airius Europe Ltd Holwell Farm, Cranborne Dorset BH21 5QP, UK Tel - +44 (0) 1202 554200 Fax - +44 (0) 1202 554396 Email - info@airius.co.uk Web - www.airius.co.uk

Airius Americas

811 South Sherman Street Longmont Colorado 80501 USA Tel - (00) 1 888 247 7327 Email - Info@airiusfans.com Web - www.airiusfans.com

Airius Oceania & S.E. Asia

P.O. Box 1812 Byron Bay NSW 2481 AUSTRALIA Tel -+61 (2) 6608 2736 Email - info@airius.com.au Web - www.airius.com.au

USA and foreign Patents granted to AIRIUS LLC, USA, further patents pending. AIRIUS & AIRIUS SYSTEMS is the copyright property of AIRIUS LLC, USA. All material issued by, or emanating from, Airius Europe Ltd is the Copyright property of Airius Europe Ltd, UK.







Get In Touch

Call: <u>0845 6880112</u>

