

UVc GERMICIDAL  
ULTRAVIOLET  
CHAMBER

# CG/FILTER-UVc

AIR PURIFYING UNITS  
WITHOUT FAN

- PURIFIES INDOOR AIR
- DIFFERENT STAGES OF FILTERING
- UVc GERMICIDAL CHAMBER
- FOR EXISTING AIR CONDITIONING AND VENTILATION INSTALLATIONS
- 25 MM ACOUSTIC CASING



ETAPAS DE  
FILTRACIÓN



## Get In Touch

Call: 0845 6880112  
Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)


## Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard,  
Settle, North Yorkshire, BD24 9RH



# CG/FILTER/UVC

The CG / FILTER-UVC air purifying units without fan have been designed to be used in existing air conditioning and ventilation installations, to clean and purify air, **in high occupancy areas with high demands for soundproofing and versatility.**



**CG**


## GERMICIDAL CHAMBER

Depending on the model, these purification units can integrate a germicidal chamber, built on the basis of UVC ultraviolet lamps.



**F**

## FILTRATION STAGES

They incorporate two stages of F7 + F9 or F7 + HEPA H14 filtering depending on the model, as well as an activated carbon filter for the elimination of odours, providing a combination with excellent filtration performance.



### Get In Touch

 Call: [0845 6880112](tel:08456880112)  
 Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)

### Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard,  
Settle, North Yorkshire, BD24 9RH



### LOW SOUND LEVEL

The 25mm thick noise reducing outer panels use bespoke, high quality insulating materials and make this ideal equipment for installation in areas where a low noise level is required.



### DURABILITY

The outer panels of these units are made of pre-finished sheet metal with aluminium structural frames to maximise the life of the equipment, allowing it to be installed in outdoors corrosive areas. The installation of a rain cover is recommended to prevent entry of water.




### EASE OF INSTALLATION AND MAINTENANCE


The access door allows quick access to clean the impeller and replace filters.

## EXAMPLE OF APPLICATION

Indoor air purification



Capturing and purifying outdoor air



#### Get In Touch

Call: [0845 6880112](tel:08456880112)  
Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)

#### Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard, Settle, North Yorkshire, BD24 9RH



# CG/FILTER-UVc

Air purifying units for circular ducts, with 25mm acoustic panels for noise reduction, without fan.



#### Characteristics:

- Frame made from 40mm profile aluminium.
- Outer panels made of 25 mm thick, high quality acoustic insulation, and pre-finished sheet metal.
- Standard flanges on intake and discharge sides to facilitate installation in ducts.
- Filtration stages according to model:
  - F7 + F9
  - F7 + HEPA H14
  - Activated carbon filter odour removal
- Germicidal chamber with UVc light (256 nm), depending on model.

- Inspection cover for maintenance and replacement of filters.

#### Finish:

- Aluminum profile frame and pre-finished sheet metal with 25mm thick acoustically insulated panels.

#### On demand:

- Automatic control system.

#### Order code

**CG/FILTER/UVc – 315 – F7+F9 – CG**

Purifying units without fan

Flange diameter in mm

Filters (F7+F9)  
Filters (F7+H14)

Germicidal UVc chamber

#### Technical characteristics


Model	Maximum flow (m <sup>3</sup> /h)		Weight (kg)
	Filters (F7+F9)	Filters (F7+H14)	
CG/FILTER/UVc-315	1225	550	30
CG/FILTER/UVc-355	1450	510	30
CG/FILTER/UVc-450	2200	1300	62
CG/FILTER/UVc-500	2990	3250	105

#### Filters characteristics

Filters	EN 779 Em	EN 1822	ISO 16890		
			ISO ePM <sub>1</sub>	ISO ePM <sub>2,5</sub>	ISO ePM <sub>10</sub>
G4	90%	-	-	-	>90%
F7	90%	-	>50%	>65-95%	>85%
F9	95%	-	>80%	>95%	>95%
HEPA H14	-	>99,995%	-	-	-

#### Technical characteristics of the UVc germicidal chamber

Depending on model, these purification units can integrate a germicidal chamber, built on the basis of UVc ultraviolet lamps in a 256 nm spectrum, a wave amplitude indicated to inactivate a wide variety of microorganisms by absorbing short wavelength energy through DNA and RNA. For specific types of viruses or bacteria that are affected by the radiation dose from the germicidal chamber, consult the specific document.



Model	Number of lamps	Total electric power (W)	Total UVc radiation power (W)	Radiation dose* (m.J / cm <sup>2</sup> )
CG/FILTER/UVc-315	6	66	16,8	6,0
CG/FILTER/UVc-355	6	66	16,8	5,9
CG/FILTER/UVc-450	4	100	28	5,6
CG/FILTER/UVc-500	6	150	42	4,5

\*Minimum dose calculated based on flow with F7HEPA H14 filters.


#### Get In Touch

Call: 0845 6880112  
Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)

#### Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard, Settle, North Yorkshire, BD24 9RH

### Dimensions mm



Model	A	B	C	ØD
CG/FILTER/UVc-315	500	500	250	315
CG/FILTER/UVc-355	500	500	250	355
CG/FILTER/UVc-450	700	700	350	450
CG/FILTER/UVc-500	900	900	450	500


### Accessorios



### Characteristic curves

Q= Flow in m<sup>3</sup>/h, m<sup>3</sup>/s and cfm.

Pe= Static pressure in mmH<sub>2</sub>O, Pa and inwg.



#### Get In Touch

Call: 0845 6880112  
 Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)



#### Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard,  
 Settle, North Yorkshire, BD24 9RH

### Characteristic curves

Q= Flow in m<sup>3</sup>/h, m<sup>3</sup>/s and cfm.

Pe= Static pressure in mmH<sub>2</sub>O, Pa and inwg.



#### Get In Touch

Call: [0845 6880112](tel:08456880112)  
 Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)

#### Our Address


Puravent, Adremit Limited, Unit 5a, Commercial Yard,  
 Settle, North Yorkshire, BD24 9RH



### Characteristic curves

Q= Flow in m<sup>3</sup>/h, m<sup>3</sup>/s and cfm.

Pe= Static pressure in mmH<sub>2</sub>O, Pa and inwg.



#### Get In Touch

Call: [0845 6880112](tel:08456880112)  
 Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)

#### Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard,  
Settle, North Yorkshire, BD24 9RH

**HEADQUARTERS****Sodeca, S.L.U.**

Pol. Ind. La Barricona  
Carrer del Metall, 2  
E-17500 Ripoll  
Girona, SPAIN  
Tel. +34 93 852 91 11  
Fax +34 93 852 90 42  
General sales: comercial@sodeca.com  
Export sales: ventilation@sodeca.com

**PRODUCTION PLANT****Sodeca, S.L.U.**

Ctra. de Berga, km 0,7  
E-08580 Sant Quirze de Besora  
Barcelona, SPAIN  
Tel. +34 93 852 91 11  
Fax +34 93 852 90 42  
General sales: comercial@sodeca.com  
Export sales: ventilation@sodeca.com

**EUROPE****FINLAND****Sodeca Finland, Oy**

HUITTINEN  
Sales and Warehouse  
Mr. Kai Yli-Sipilä  
Metsälinnankatu 26  
FI-32700 Huittinen  
Tel. + 358 400 320 125  
orders.finland@sodeca.com

HELSINKI  
Smoke Control Solutions  
Mr. Antti Kontkanen  
Vilppulantie 9C  
FI-00700 Helsinki  
Tel. +358 400 237 434  
akontkanen@sodeca.com

HYVINKÄÄ  
Industrial Applications  
Mr. Jaakko Tomperi  
Niinistökatu 12  
FI-05800 Hyvinkää  
Tel. +358 451 651 333  
jtomperi@sodeca.com

**ITALIA****Marelli Ventilazione, S.R.L.**

Sr. Christian Tosetti  
Viale del Lavoro, 28  
37036 San Martino B.A.  
(VR), ITALY  
Tel. +39 045 87 80 140  
Fax +39 045 99 22 24  
info@marelliventilazione.com

**PORTUGAL****Sodeca Portugal, Unip. Lda.**

PORTO  
Rua Veloso Salgado 1120/1138  
4450-801 Leça de Palmeira  
Tel. +351 229 991 100  
geral@sodeca.pt

LISBOA  
Pq. Emp. da Granja Pav. 29  
2625-607 Vialonga  
Tel. +351 219 748 491  
geral@sodeca.pt

ALGARVE  
Rua da Alegria S/N  
8200-557 Cortesões  
Tel. +351 289 092 586  
geral@sodeca.pt

**UNITED KINGDOM****Sodeca Fans UK, Ltd.**

Mr. Mark Newcombe  
Tamworth Enterprise Centre  
Philip Dix House, Corporation  
Street, Tamworth, B79 7DN  
UNITED KINGDOM  
Tel. +44 (0) 1827 216 109  
sales@sodeca.co.uk

**AMERICA****CHILE****Sodeca Ventiladores, SpA.**

Sra. Sofía Ormazábal  
Santa Bernardita 12.005  
(Esquina con Puerta Sur)  
Bodegas 24 a 26,  
San Bernardo, SANTIAGO, CHILE  
Tel. +56 22 840 5582  
ventas.chile@sodeca.com

**COLOMBIA****Sodeca Latam, S.A.S.**

Sra. Luisa Stella Prieto  
Calle 7 No. 13 A-44  
Manzana 4 Lote 1, Montana  
Mosquera, Cundinamarca  
Bogotá, COLOMBIA  
Tel. +57 1 756 4213  
ventascolombia@sodeca.co

**PERU****Sodeca Perú, S.A.C.**

Sr. Jose Luis Jiménez  
C/ Mariscal Jose Luis de  
Orbegoso 331. Urb. El pino,  
15022, San Luis. Lima, PERÚ  
Tel. +51 1 326 24 24  
Cel. +51 994671594  
comercial@sodeca.pe

**RUSSIA****Sodeca, L.L.C.**

Mr. Stanislav Alifanov  
Severnoye Shosse, 10 room 201  
Business Park Plaza Ramstars  
140105 Ramenskoye,  
Moscow region, RUSSIA  
Tel. +7 495 955 90 50  
alifanov@sodeca.com



[www.sodeca.com](http://www.sodeca.com)

**Get In Touch**

**Call:** 0845 6880112  
 **Email:** [info@adremit.co.uk](mailto:info@adremit.co.uk)

**Our Address**

Puravent, Adremit Limited, Unit 5a, Commercial Yard,  
Settle, North Yorkshire, BD24 9RH