



# MOBILE AIR COOLING INDUSTRIAL



**BC 180**



**BC 340**



### Features

- For industrial application use
- No gas – evaporative technology
- Low noise
- Adjustable speed
- Automatic swing function for BC 180 only
- Time setting function
- Large water tank for longer operating hours
- Large wheels and brake allow easy movement
- No need for compressed air
- No installation, no duct work required
- Easy to use, easy to clean
- Corrosion resistant plastic casing
- Easy to maintain
- Automatic water supply
- Remote control

### Applications

- Workshops and warehouses
- Plastic, glass, assembly and painting plants
- Cow barns
- Greenhouses



Specifications	Units	BC 180	BC 340
Cooling pad	dm <sup>3</sup>	180	340
Air flow	m <sup>3</sup> /h	18000	30000
Maximum area	m <sup>2</sup>	330	400
Power consumption	W	750	1100
Power supply	V/Hz	220-240/1ph/50	220-240/1ph/50
Rated current	A	4.5	4.5
Water consumption	l/h	12-18	15-20
Tank capacity	l	100	200
Direct water connection	inch	½	½
Tank level control		Yes	Yes
Product size (l x w x h)	mm	1130 x 690 x 1640	1580 x 750 x 1820
Weight	kg	58	105

### Get In Touch

**Call:** 0845 6880112  
**Email:** [info@adremit.co.uk](mailto:info@adremit.co.uk)

### Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard, Settle, North Yorkshire, BD24 9RH

