




Horizontal Circulation Fan





YOUR SPECIALIST IN AIR



Get In Touch

Call: <u>0845 6880112</u>



Email: info@adremit.co.uk



Multifan Horizontal Circulation Fan

The next generation of circulation fans

With the new Multifan Horizontal Circulation Fan, you can create a uniform indoor climate while minimizing energy consumption. The improved fan design offers a number of important advantages. For example, the energy efficiency of the fan has been greatly improved, and it is much quieter. It is also easier to attach air hoses to the fan, saving you installation costs and making the fan cheaper to use. Create the ideal growing climate for your livestock or crop, or create a fresh breeze with this compact, powerful fan.



Why choose this fan

- · Powerful, quiet fan
- · Among the most energy efficient in its class
- · Low investment costs
- · Easy to install
- · Easy to maintain
- · Materials resistant to extreme conditions
- · Long service life: 3-year guarantee

WARRANTY WARRANTY

Features

- Available in 3 versions: 5,000, 7,000 and 8,500 m3/h
- · Motor insulation class F.
- IP55 motor (water-resistant and dust-resistant)
- Energy efficient, up to 22.6 W/1,000 m3/h
- · Low noise, up to 46 dB(A)
- Simple to attach 52-cm diameter air hoses
- · Built-in thermal protection for single-phase motors

Applications

- · Greenhouse horticulture
- · Agricultural: pigs, poultry, dairy cattle
- Industry

Options available

- · CE wire-guard kit
- 5-meter cable with plug
- Nozzle kit (minimum 4-bar water pressure required)
- · Built-in thermal detectors for 3-phase motors
- · Frequency-controlled motor



2



Get In Touch

Call: <u>0845 6880112</u>

| Email: <u>info@adremit.co.uk</u>









Technical data single-phase


Article	ø (cm)	Power supply		(n) RPM	P _{in} (W)	I _{nom} (A)	Q _v (m³/h)	Throw *	SFP @0Pa (W/1000m ³ /h)	dB(A)	Control options	
T6E45AAM80100	45	1	230	50	950	119	0,6	4.800	45	24,8	46	E/T
T4E45DAM80100	45	1	230	50	1460	191	1,1	6.400	55	29,8	55	E/T
T4E45BAM80100	45	1	230	50	1450	247	1,2	6.900	60	35,8	55	E/T
T4E45CAM80100	45	1	230	50	1415	373	1,7	8.700	65	42,9	54	E/T
T6E45KBM80100	45	4	230	60	1135	119	0.6	5.000	45	23,8	49	E/T
							-,-					
T6E45KCM80100	45	1	277	60	1135	128	0,7	5.000	45	25,6	49	E/T
T4E45LBM80100	45	1	115	60	1745	273	2,5	7.200	60	37,9	58	T
T4E45LAM80100	45	1	230	60	1745	275	1,3	7.200	60	38,2	59	T
T4E45MBM80100	45	1	115	60	1690	342	3,5	8.100	65	42,2	57	-
T4E45MAM80100	45	1	230	60	1670	403	1,9	8.600	65	46,9	-	Т


Technical data three-phase

Article	ø (cm)	Power supply			(n)	D (M)	I _{nom} (A)	Q _v (m³/h)	Throw	SFP @0Pa	dB(A)	Control options
		~	V (Y)	Hz	RPM	P _{in} (W)	Y		*	(W/1000m ³ /h)	**	***
T6D45AAM80100	45	3	400	50	990	113	0,5	5.000	45	22,6	47	T/F
T4D45BAM80100	45	3	400	50	1460	231	0,8	7.000	60	33,0	54	T/F
T4D45CAM80100	45	3	400	50	1425	371	0,9	8.700	65	42,6	54	T/F
T4D45DAM80100	45	3	400	50	1415	447	1,1	9.200	69	48,6	55	-
T6D45KAM80100	45	3	460	60	1185	128	0,5	5.200	45	24,6	49	T/F
T4D45LAM80100	45	3	460	60	1760	272	0,8	7.300	60	37,3	58	T/F
T4D45MAM80100	45	3	460	60	1710	407	0,9	8.900	65	45,7	59	T/F

- Recommended throw based on field tests without wire guard.
 Sound pressure level calculated at 7 meter free blowing distance.
 Controllable by Transformer (T), Frequency Controllable (F), Controllable by Triac (E)

Dimensions (mm)





ø (cm)	A01	A02	A03	A10	A11	A12	A13	A14	A15
45	472	586	586	6,5	403	32	220	368	326

Our Address



Your specialist in air






Multifan Circulation Fans

Our range of circulation fans offers a solution for every indoor climate challenge. We offer fans that are specifically designed to evenly distribute air in an energy-efficient way. Vertical or horizontal airflows improve temperature and humidity differences, creating a uniform

climate. In addition, we offer circulation fans that ensure that animals or people are kept cool. A solution that can help prevent heat stress and keep animals healthy.



Why choose Vostermans Ventilation:

LOYAL TO YOU

We care for your specific needs based on our long expertise. In close cooperation with you we secure your business outcomes.

RELIABLE

Since our foundation in the Netherlands in 1952, we maintain our reputation as reliable partner. Our carefully selected global network of independent distributors strive to deliver you dedicated service and expertise.

FUTURE PROOF

Our future proof approach, which combines energy efficiency solutions with robust quality and rigorous testing, is based on a genuine commitment to serve as a trusted partner.

Vostermans Ventilation is a global developer and manufacturer of sustainable axial fans for the agricultural and industrial market. Sustainability is key for Vostermans. Their premium brandlines Multifan and EMI are showcasing the drive for advanced energy efficient fans. The company applies continuous innovation and research in their own motor production facility and in house state of the art R&D department. Vostermans Ventilation, part of Vostermans Companies founded in 1952, is based in Venlo, the Netherlands and operates in USA, China and Malaysia.



YOUR SPECIALIST IN AIR

All rights reserved. Vostermans Companies is not responsible for inaccurate or incomplete data. In case of any questions and / or remarks please contact ventilation@vostermans.com. Subject to alterations 03/2021

Venlo - The Netherlands Tel. +31 (0)77 389 32 32 ventilation@vostermans.com Bloomington, IL- USA Tel. +1 309 827-9798 ventilation@vostermansusa.com Tmn Klang Jaya - Malaysia Tel. +60 (0)3 3324 3638 ventilation@vostermansasia.com Shanghai - China Tel. +86 21 5290 2889/2899 ventilation@vostermanschina.com

www.vostermans.com



Get In Touch

Call: 0845 6880112

Email: info@adremit.co.uk