



Drawing : - TPC 357 Issue : - 5

Date : - 24/11/16

# QZC3000 INDUSTRIAL HEATER OWNER'S MANUAL



www.eipl.co.uk

Page 1 of 8



**Get In Touch** 

**Call:** 0845 6880112





Drawing : - TPC 357 Issue : - 5 : - 24/11/16 Date

**QZC3000 PACKAGE CONTENTS** 

Item	Description	Quantity
10960RD-US	Heater	1
TPC357	Manual	1

Page 2 of 8



**Get In Touch** 

**Call:** 0845 6880112





# **UNPACKING**

Carefully remove the heater from its transit box and visually check for signs of transit damage. If there is evidence of damage DO NOT attempt to operate the unit, call your supplier for advice. Do not discard the packing, it will be useful when transporting the heater in the future.

#### **IMPORTANT – READ ALL SECTIONS BEFORE OPERATING**

- 1. Models are available in 110V or 240V operation. Check that the unit is suitable for the power supply by checking the details on the rating plate. An electric plug of the correct rating is supplied fitted to the unit.
- 2. Unwind the power cord fully before switching the unit on.
- 3. Do not operate the unit if there is any visible damage to the casing, power cord or plug.
- 4. If the supply cord is damaged, it must be replaced by the manufacturer, its service agent, or similarly qualified persons in order to avoid a hazard.
- 5. Warning: In order to avoid overheating, do not cover the heater.
- 6. Operate the unit on a level surface.
- 7. The heater must not be located immediately below a socket-outlet.
- 8. Do not use the heater in the immediate surroundings of a bath, a shower or a swimming pool.
- 9. Do not remove the covers, if a fault develops return the unit to supplier
- 10. Do not operate the unit with the safety grilles removed or if the coating on the heating elements is damaged.
- 11. Children are not to be left unsupervised around the heater.
- 12. Either one or all three heating elements can be switched on, using the switches on the front of the unit.
- 13. To switch the unit off, select '0' position on the on / off switch at the front of the unit and disconnect from the power supply.
- 14. Allow the unit to cool for 10 minutes before handling or repositioning
- 15. Position the heater at least 2 meters away from the area to be heated and check to ensure overheating does not occur.

Page 3 of 8



**Get In Touch** 

**Our Address** 





- 16. Never insert anything between the bars of the grille, even when the heater is turned off.
- 17. Do not use this heater with a programmer, timer, separate remote control system or any other device that switches the heater on automatically, since a fire risk exists if the heater is covered or positioned incorrectly.

# **SPARE PARTS LIST**

DESCRIPTION	PART NUMBER	
Heating Element	3031602	
On / Off Switch	3035914	
Power Selection Switch	3036778	

Spare parts available online

www.EIPLDIRECT.com





Get In Touch

Our Address





## **WARNINGS**

This appliance can be used by children from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the application in a safe way and understand the hazards involved.

Children shall not play with the appliance.

Cleaning and user maintenance shall not be made by children without supervision.

If the SUPPLY CORD is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified person in order to avoid hazard.





0.5

**Get In Touch** 

**Call:** <u>0845 6880112</u>

M





Page 6 of 8



**Get In Touch** 

**Call:** 0845 6880112





Page 7 of 8



**Get In Touch** 

**Call:** 0845 6880112





Drawing : - TPC 357 Issue : - 5

: - 24/11/16 Date

## **UK Head Office**

Ebac Industrial Products Ltd St Helens Trading Estate Bishop Auckland County Durham **DL14 9AD** 

Tel: +44 (0) 1388 664400 Fax: +44 (0) 1388 662590

> www.eipl.co.uk sales@eipl.co.uk

#### **American Sales Office**

Ebac Industrial Products Inc 700 Thimble Shoals Blvd. Suite 109, Newport News Virginia, 23606-2575 USA

Tel: +01 757 873 6800 Fax: +01 757 873 3632

www.ebacusa.com sales@ebacusa.com

#### **German Sales Office**

Ebac Industrial Products Ltd Miraustra 64 – 66 13509 Berlin Germany

Tel: +49 3043 557241 Fax: +49 3043 557240

> www.eip-ltd.de sales@eip-ltd.de

Page 8 of 8



**Get In Touch** 

Call: <u>0845 6880112</u>

Email: info@adremit.co.uk

**Our Address**