



REU 5 SPEED CONTROL

Item no. 5006

Description

Manual five-step transformer

A single-phase transformer which controls the fan speed by altering the supply voltage in five fixed steps. The steps are adjusted manually, using the control knob on the front of the unit. There are two control switches: one for higher fan speeds and one for lower fan speeds. Switching between the high and low settings is done by an external change-over contact, which could be a thermostat or a timer. The indicator lamp on the front shows when the transformer is in operation. The fuse may be reset from outside. The REU has a self-extinguishing thermoplastic casing. Supply voltage: 230V 50/60Hz.

NOTE! Fans with external thermal contact leads (TK) must always be connected to a motor protection device.



Document type: **Product card**Document date: **2019-06-25**

Generated by: Systemair Online Catalogue

Technical parameters

Voltage	230	V
Phase	1	~
Frequency	50/60	Hz
Current	5	А
Recommended fuse	6	А
Enclosure class	54	
Width	105	mm
Height	275	mm
Depth	145	mm
Weight	4,9	kg


Name: REU 5 SPEED CONTROL | Item no.: 5006

Get In Touch

 $\hbox{ Document type: } \textbf{Product card} \mid \hbox{ Document date: } \textbf{2019-06-25} \mid \hbox{ Generated by: } \textbf{Online catalogue}$



6






Email: info@adremit.co.uk




Accessories

Dimensions



Wiring



NB A swithing contact has to be connected

Name: REU 5 SPEED CONTROL | Item no.: 5006

 $\hbox{ Document type: } \textbf{Product card} \mid \hbox{ Document date: } \textbf{2019-06-25} \mid \hbox{ Generated by: } \textbf{Online catalogue}$



Get In Touch

Call: 0845 688011



Email: info@adremit.co.uk



Documentation

RE RTRE REU_ IMO_ GB.pdf (245,21kB)



Declaration Of Conformity_RE_REU_RTRE_EN-2017.pdf (26,64kB)

Specification text

Name: REU 5 SPEED CONTROL | Item no.: 5006

 $\label{eq:Document type: Product card | Document date: 2019-06-25 | Generated by: Online \ catalogue \\$



Get In Touch



Email: info@adremit.co.uk