

UVC GERMICIDAL  
ULTRAVIOLET  
CHAMBER

# SV/FILTER-CG

AIR PURIFYING UNITS WITH UVC  
GERMICIDAL CHAMBER

- UVC GERMICIDAL CHAMBER
- DIFFERENT STAGES OF FILTRATION
- IN-LINE FOR DUCT INSTALLATION
- IDEAL FOR RETAIL AND OTHER PREMISES
- LOW NOISE LEVEL



FILTRATION STAGE **F7** + **F9**

## Get In Touch

Call: 0845 6880112  
Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)

## Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard,  
Settle, North Yorkshire, BD24 9RH



# SV/FILTER-CG

**Air purifying units, with UVC germicidal chamber, in-line for duct installation and with different stages of filtration**



**F7 + F9**

#### Characteristics:

- Built-in UVC germicidal chamber.
- Acoustic casing of sound absorbing material.
- Standard flanges at intake and discharge sides for easy in-duct installation.
- F7 + F9 filters.
- Quick access inspection cover for cleaning and maintenance.

#### Casing:

- Galvanized steel sheet casing.
- Backward curved impellers, except for models 125 and 150 which have multi-bladed impellers. Supplied with four support feet for easy mounting.
- Access doors to facilitate maintenance and cleaning.

#### Motor:


- External rotor motors, with built-in thermal protector, class F, with ball bearings, IP-54 protection.
- Single phase 230V. -50 / 60Hz. Adjustable.
- Maximum temperature of transported air + 50°C.

#### Finish:

- Anticorrosive in polyester resin polymerised at 190 °C, after degreasing with phosphate-free nanotechnological treatment.


#### On request:

- Alternative filtration stages: G4 + F6 and F6 + F8.
- Automatic control system.



### Application examples

Indoor air purification




Collection and purification of outdoor air



### Order code

**SV/FILTER/CG – 200/H – F7+F9**



### Filters characteristics

Filters	EN 779 Em	EN 1822	ISO 16890			
			ISO ePM <sub>1</sub>	ISO ePM <sub>2,5</sub>	ISO ePM <sub>10</sub>	ISO COARCE
G4	90%	-	-	-	-	>90%
F7	90%	-	>50%	>65-95%	>85%	-
F9	95%	-	>80%	>95%	>95%	-
HEPA H14	-	>99,995%	-	-	-	-

### Get In Touch

Call: 0845 6880112  
Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)

### Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard, Settle, North Yorkshire, BD24 9RH


## Technical characteristics

Model	Recommended effective working area (m <sup>2</sup> )	Speed (r/min)	Maximum admissible current (A)		Maximum flow (m <sup>3</sup> /h)		Weight (kg)
			230V	Standard Filters (F7 + F9)	Filters on request (G4 + F6)	Filters on request (F6 + F8)	
SV/FILTER-CG-200/H	40	1240	0,65	375	590	430	15,4
SV/FILTER-CG-250/H	60	2380	1,25	525	660	560	18,1
SV/FILTER-CG-315/H	80	1330	0,85	790	1035	850	26,7
SV/FILTER-CG-350/H	120	1280	0,95	1180	1550	1270	36,6
SV/FILTER-CG-400/H	160	1330	1,8	1600	2050	1720	46,7

\* Recommended area with F7 + F9 filters, and with a 3-meter high room.

## Technical characteristics of the UVC germicidal chamber

These purification units integrate a germicidal chamber, built on the basis of UV "C" ultraviolet lamps in a spectrum of 256nm, wave amplitude indicated to inactivate a wide variety of microorganisms by absorbing short wavelength energy through DNA and RNA. For specific types of viruses or bacteria that are affected by the radiation dose from the germicidal chamber, consult the specific document.



Model	Number of lamps	Total electrical power (W)	Total radiation power UVC (W)	Radiation dose* (mJ/cm <sup>2</sup> )
SV/FILTER-CG-200/H	4	44	45	5,3
SV/FILTER-CG-250/H	4	44	45	4,7
SV/FILTER-CG-315/H	4	100	112	8,4
SV/FILTER-CG-350/H	4	100	112	6,2
SV/FILTER-CG-400/H	4	100	112	5,1


\* Minimum dose calculated based on flow with F7 + F9 filters



## Erp. (Energy Related Products)

Information on Directive 2009/125 / EC downloadable from the SODECA website or QuickFan selection program.

## Dimensions mm



Model	A	B	C1	C2	ØD1	L	ØD2	EC1	EC2	T
SV/FILTER-CG-200/H	775	395	117	273	200	36	7	725	345	847
SV/FILTER-CG-250/H	775	395	140	293	250	50	7	725	345	875
SV/FILTER-CG-315/H	860	520	175	371	315	48	8,5	809	469	956
SV/FILTER-CG-350/H	960	610	200	410	355	48	8,5	909	564	1056
SV/FILTER-CG-400/H	1035	670	219	455	400	38	8,5	984	624	1111

### Get In Touch

Call: 0845 6880112  
Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)

### Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard, Settle, North Yorkshire, BD24 9RH

## Curve characteristic





Equipment curve with standard built-in filters **3** F7+F9

Equipment curve with alternative filters **1** G4+F6 **2** F6+F8

Static pressure

Dynamic Pressure

Absorbed power



## Curve characteristics


Equipment curve with standard built-in filters **3** F7+F9

Equipment curve with alternative filters **1** G4+F6 **2** F6+F8

Static pressure

Dynamic Pressure

Absorbed power



## Accessories



### Get In Touch

Call: [0845 6880112](tel:08456880112)  
 Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)

### Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard,  
 Settle, North Yorkshire, BD24 9RH



**HEADQUARTERS****Sodeca, S.L.U.**

Pol. Ind. La Barricona  
Carrer del Metall, 2  
E-17500 Ripoll  
Girona, SPAIN  
Tel. +34 93 852 91 11  
Fax +34 93 852 90 42  
General sales: comercial@sodeca.com  
Export sales: ventilation@sodeca.com

**PRODUCTION PLANT****Sodeca, S.L.U.**

Ctra. de Berga, km 0,7  
E-08580 Sant Quirze de Besora  
Barcelona, SPAIN  
Tel. +34 93 852 91 11  
Fax +34 93 852 90 42  
General sales: comercial@sodeca.com  
Export sales: ventilation@sodeca.com

**EUROPE****FINLAND****Sodeca Finland, Oy**

HUITTINEN  
Sales and Warehouse  
Mr. Kai Yli-Sipilä  
Metsälinnankatu 26  
FI-32700 Huittinen  
Tel. + 358 400 320 125  
orders.finland@sodeca.com

HELSINKI  
Smoke Control Solutions  
Mr. Antti Kontkanen  
Vilppulantie 9C  
FI-00700 Helsinki  
Tel. +358 400 237 434  
akontkanen@sodeca.com

HYVINKÄÄ  
Industrial Applications  
Mr. Jaakko Tomperi  
Niinistökatu 12  
FI-05800 Hyvinkää  
Tel. +358 451 651 333  
jtomperi@sodeca.com

**ITALIA****Marelli Ventilazione, S.R.L.**

Sr. Christian Tosetti  
Viale del Lavoro, 28  
37036 San Martino B.A.  
(VR), ITALY  
Tel. +39 045 87 80 140  
Fax +39 045 99 22 24  
info@marelliventilazione.com

**PORTUGAL****Sodeca Portugal, Unip. Lda.**

PORTO  
Rua Veloso Salgado 1120/1138  
4450-801 Leça de Palmeira  
Tel. +351 229 991 100  
geral@sodeca.pt

LISBOA  
Pq. Emp. da Granja Pav. 29  
2625-607 Vialonga  
Tel. +351 219 748 491  
geral@sodeca.pt

ALGARVE  
Rua da Alegria S/N  
8200-557 Cortesões  
Tel. +351 289 092 586  
geral@sodeca.pt

**UNITED KINGDOM****Sodeca Fans UK, Ltd.**

Mr. Mark Newcombe  
Tamworth Enterprise Centre  
Philip Dix House, Corporation  
Street, Tamworth, B79 7DN  
UNITED KINGDOM  
Tel. +44 (0) 1827 216 109  
sales@sodeca.co.uk

**AMERICA****CHILE****Sodeca Ventiladores, SpA.**

Sra. Sofía Ormazábal  
Santa Bernardita 12.005  
(Esquina con Puerta Sur)  
Bodegas 24 a 26,  
San Bernardo, Santiago, CHILE  
Tel. +56 22 840 5582  
ventas.chile@sodeca.com

**COLOMBIA****Sodeca Latam, S.A.S.**

Sra. Luisa Stella Prieto  
Calle 7 No. 13 A-44  
Manzana 4 Lote 1, Montana  
Mosquera, Cundinamarca  
Bogotá, COLOMBIA  
Tel. +57 1 756 4213  
ventascolombia@sodeca.co

**PERU****Sodeca Perú, S.A.C.**

Sr. Jose Luis Jiménez  
C/ Mariscal Jose Luis de  
Orbegoso 331. Urb. El pino,  
15022, San Luis. Lima, PERÚ  
Tel. +51 1 326 24 24  
Cel. +51 994671594  
comercial@sodeca.pe


**RUSSIA****Sodeca, L.L.C.**

Mr. Stanislav Alifanov  
Severnoye Shosse, 10 room 201  
Business Park Plaza Ramstars  
140105 Ramenskoye,  
Moscow region, RUSSIA  
Tel. +7 495 955 90 50  
alifanov@sodeca.com



[www.sodeca.com](http://www.sodeca.com)

**Get In Touch**

 **Call:** 0845 6880112  
 **Email:** [info@adremit.co.uk](mailto:info@adremit.co.uk)

**Our Address**

Puravent, Adremit Limited, Unit 5a, Commercial Yard,  
Settle, North Yorkshire, BD24 9RH