



THS 160 HOOD W.COVER PL. BLACK

Item no. 1839


Document type: **Product card**
Document date: **2019-06-04**
Generated by: **Systemair Online Catalogue**

Description

Flat cowl

The cowl is fitted at right angles to the roof cladding and can therefore be used on different roof pitches.

Manufactured from powder-coated, galvanised sheet steel, in the standard colours of black and brick red. The spiral pipe connected to the cover is insulated with 30 mm rockwool. The TUS under-plate, for fitting inside the roof, is included. This underplate prevents water-damage via the roof aperture if there is leakage on the outside of the roof. The under-plate should not be used if the roof is only covered with roofing felt.



Technical parameters

Other	
Weight	7,6 kg



Get In Touch

Call: [0845 6880112](tel:08456880112)
 Email: info@adremit.co.uk

Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard,
Settle, North Yorkshire, BD24 9RH



Dimensions



Name: **THS 160 HOOD W.COVER PL. BLACK** | Item no.: **1839**

Document type: **Product card** | Document date: **2019-06-04** | Generated by: **Online catalogue**

Get In Touch

 Call: [0845 6880112](tel:08456880112)
 Email: info@adremit.co.uk

Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard,
Settle, North Yorkshire, BD24 9RH

	A	B	E	F	G	øD	H
THS 160	455	480	95	305	217	160	91
THS 200	585	735	200	305	125	200	95

Accessories

Documentation



TOB, TOS, THS, THB installation instruction_205815_CE_A002.pdf (1,15MB)

Specification text

Name: **THS 160 HOOD W.COVER PL. BLACK** | Item no.: **1839**

Document type: **Product card** | Document date: **2019-06-04** | Generated by: **Online catalogue**

3 / 3

Get In Touch



Call: [0845 6880112](tel:08456880112)



Email: info@adremit.co.uk

Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard,
Settle, North Yorkshire, BD24 9RH