

FC Pro Fan Heaters Controls Heaters

FC Pro - Third level control system for maximum savings



- Automatic heat blocking
- Automatic fan speed control
- Control via app (Bluetooth)
- Adjustable calendar function
- Away, Boost and Presence function
- Zone possibility
- Enhanced water control possible
- Built-in temperature sensor
- Outlet temperature limit

[Find more details in our online catalogue](#)

Control with App

The Frico app with its user-friendly interface makes it easy to set up and control products directly from your smartphone or tablet, allowing you to control your comfort with ease. The app FRICO CONTROL is available for both iOS and Android.

Create Zones

The zone feature allows you to create different zones for different conditions in a larger system, to create maximum comfort and energy savings in all areas. All zones can be controlled from the same app.

Enhanced Water Control

Water heat is more accurately controlled with improved water functions and modulating actuators. Automatic functions such as bypass, frost protection and return water temperature control (with sensor FCWTA) improve product functionality without any additional effort.

Automatic Heat Blocking

To avoid unnecessary heating, the system automatically blocks any additional heat when the outdoor temperature reaches a given value.

FC Pro comes with all features from FC Direct and FC Smart plus additional automatic energy saving features. The heat blocking function prevents unnecessary heating, using the wireless outdoor temperature sensor.

Content

- FCCF control panel with built-in temperature sensor
- FCBC10 communication cable, 10 m
- FCLAP local access point Bluetooth
- FCTXRF indoor/outdoor wireless sensor

In addition to the package, components can be added to expand and customize the system. Added zones need to be equipped with one FC Direct and can be designed to fit its specific needs by adding different components. Please see accessories.

Technical parameters

Nominal data

| | |
|-----------------|------|
| Enclosure class | IP44 |
|-----------------|------|

Dimensions and weights

| | |
|--------|--------|
| Weight | 0.1 kg |
|--------|--------|

Accessories

- FCBC05 Communication cable (74718)
- FCBC25 Communication cable (74720)
- FCOTX Outdoor temp. sensor (74695)
- FCSC10 Sensor cable (74721)
- FCWTA Water temp sensor (74702)
- FCBC10 Communication cable (74719)
- FCLAP Com. unit for app (74699)
- FCRTX Ext. room sensor (74694)
- FCSC25 Sensor cable (74722)

Documents

- Catalogue pages FC for fan heaters
- Quickguide Frico Control FH - FCSF FCDF FCPF FCBF
- Declaration of Conformity FC
- UKCA Declaration FC