

KKF 30 025-filter-section

Without filter, 30mm-casing

Item number: 93310

KKF - Filter module for MUB

The filter module is designed to support panel-filters of filter classes ePM10 60%, ePM1 55% and ePM1 85% (formerly M5, F7 and F9). The filter can be replaced via a removable inspection-panel.

The casing is a self-supporting construction of aluminium profile. Double skin panels made of galvanised sheet steel, with 30 mm sound and heat insulation made of mineral wool. Corners made of high shock-resistant plastic type PA6. This fits exactly to our Multiboxes (MUB) in terms of dimensions and design, therefore it is directly connectable to the suitable Multibox. The necessary connecting material is already enclosed. The filter-module can be mounted horizontally or vertically. The panel-filters must be ordered separately (see accessories).






Technical parameters

Dimensions and weights



Weight

1 kg

Performances



Dimension



KKF	A	B	C	D	E
KKF 025	520 mm	520 mm	378 mm	378 mm	378 mm
KKF 042	690 mm	690 mm	378 mm	548 mm	548 mm
KKF 062	820 mm	820 mm	378 mm	678 mm	678 mm
KKF 100	1020 mm	1020 mm	520 mm	878 mm	878 mm

Accessories

- FGV 025/416-416 flex. conn. (4196)
- filter panel-025 F7/ePM1 55% (303588)
- filter panel-025 M5/ePM10 60% (303587)
- DTV500A (96807)
- filter panel-025 F9/ePM1 85% (303589)
- WSD 025 MUB+KKF complete (238061)

Documents

- Montage (Bild)