



# **UPT**

# CEILING UNITS FOR PURIFYING AND DISINFECTING AIR USING HEPA H14 FILTRATION






**Get In Touch** 


**Call:** <u>0845 6880112</u>






# **UPT**

UPT series air purification and disinfection units are equipped with Plug Fans with AC or EC Technology motors, depending on model. These units have been specifically designed **to be installed above false ceilings in high occupancy areas**.





# **HOW DOES IT WORK?**



Stale internal air enters through the **inlet** panel, which is equipped with a washable pre-filter that retains large size particles. Then, the air passes through an **absolute HEPA H14 filter**, which retains 99.99% of solid particles. After going through these two filtration stages, the air passes through the **UVc ultraviolet germicidal chamber**, destroying all viruses and bacteria as well as other pathogens. Finally the air returns to the room, fully cleaned and disinfected.

2



**Get In Touch** 

**Our Address** 







#### **FALSE CEILINGS**

Especially designed to be installed above false ceilings with removable 600 x 600 mm panels or in false ceilings made of plasterboard. Its design also allows it to be surface mounted.



# **MINIMISES THE VISUAL IMPACT**

Installation above a false ceiling minimises the visual impact of these purification units and increases the available space in the room below.



# **SUITABLE FOR LARGE ROOMS**

In large spaces we recommend installing several units, controlled by a single regulation system, for homogenisation of clean, bacteria free air.



### **EASY TO MAINTAIN**

The fan and filters can be easily accessed through the inlet panel, allowing quick and easy access for cleaning and maintenance.

# **RECOMMENDED FOR**

- Large office spaces
- Shopping centres
- Health centres
- Beauty salons
- Schools
- Gyms
- Lifts





**Get In Touch** 

Call: <u>0845 6880112</u>



Email: info@adremit.co.uk



# **UPT**







#### Ceiling units for purifying and disinfecting air using HEPA H14 filtration



Ceiling units for purifying and disinfecting air, equipped with HEPA H14 filters and Plug Fans, with AC or EC Technology motors, depending on model, and with optional UVc germicidal chambers. These units have been especially designed to be installed above false ceilings in high occupancy areas.

#### Characteristics:

- Structure designed for installation above false ceilings.
- Washable pre-filter.
- HEPA type filters with a filtration efficiency of 99.99%.
- UVc germicidal chamber, depending on model.
- Plug Fan with AC or EC Technology, depending on model.
- Backward-curved impeller.
- Inspection cover for maintenance and filter replacement.
- Low noise levels.

#### Motor:

- EC Version: High efficiency EC Technology motors with external rotor, regulated by 0-10 V signal.
- AC Version: External rotor motors with built-in thermal protector, class F, with ball bearings, IP54 protection.

#### Finish:

- Anti-corrosive polyester resin finish polymerised at 190°C, previously degreased by applying a phosphate-free nanotechnological treatment.
- · Standard colour RAL 9003.

#### On request:

· Available in any RAL colour.

#### Order code



UPT: Ceiling units for purifying and disinfecting air using HEPA H14 filtration

AC: AC version motor EC: EC Technology motor

CG: UVc germicidal chamber

# Technical characteristics

Model	Maximum flow rate	Recommended effective area <sup>1</sup>	Speed	Maximum power	Power supply	Sound pressure level at 50% of maximum flow rate <sup>2</sup>	Approx. weight
	(m³/h)	(m²)	(r/min)	(W)		dB(A)	(kg)
UPT AC	150	20	1410	60	200-240 V 50/60 Hz 1 Ph	33	10
UPT EC	350	45	2440	120	200-240 V 50/60 Hz 1 Ph	45	10
UPT AC-CG	150	20	1410	60	200-240 V 50/60 Hz 1 Ph	33	10
UPT EC-CG	350	45	2440	120	200-240 V 50/60 Hz 1 Ph	45	10

<sup>&</sup>lt;sup>1</sup> Recommended area at 3 metre ceiling height. <sup>2</sup> Irradiated sound pressure level in dB(A) at a distance of 3 m.

#### Technical characteristics of the UVc germicidal chamber

Depending on the model, these purification units may incorporate a germicidal chamber utilising UVc ultraviolet lamps in a 254 nm spectrum, which is the most effective wave amplitude for deactivating most microorganisms, whereby they absorb short wavelength energy through their DNA and RNA. Refer to the specific document for a list of the types of viruses or bacteria that are affected by the radiation dose emitted inside the germicidal chamber.



Model	Number of lamps	Electric power (W)	UVc radiation power (W)	Radiation dose (mJ/cm²)	
UPT AC-CG	4	44	11.2	12.4	
UPT EC-CG	4	44	11.2	5.3	

4



**Get In Touch** 

**Call:** 0845 6880112


Email: info@adremit.co.uk





### **Dimensions mm**





## **Control**



#### **WIFI RAC**

Recessed WiFi controller for AC motors up to 300 W, with connections for auxiliary equipment

This controller allows fan speed adjustment and allows the germicidal chamber lamps to be turned on or off. Additionally, it is equipped with WiFi connectivity for remote operation, which also allows function and time programming via the Smart Life application.

#### **Accessories**









CAP/EC

SI-PM2,5+VOC

SI-CO2+VOC

MICA-LITE/W





#### HEADQUARTERS Sodeca, S.L.U.

Pol. Ind. La Barricona Carrer del Metall, 2 E-17500 Ripoll Girona, SPAIN Tel. +34 93 852 91 11 Fax +34 93 852 90 42 General sales: comercial@sodeca.com Export sales: ventilation@sodeca.com

# PRODUCTION PLANT Sodeca, S.L.U.

Ctra. de Berga, km 0,7 E-08580 Sant Quirze de Besora Barcelona, SPAIN Tel. +34 93 852 91 11 Fax +34 93 852 90 42 General sales: comercial@sodeca.com Export sales: ventilation@sodeca.com



### **EUROPE**

#### FINLAND Sodeca Finland, Oy

HUITTINEN Sales and Warehouse Mr. Kai Yli-Sipilä Metsälinnankatu 26 Fl-32700 Huittinen Tel. + 358 400 320 125 orders.finland@sodeca.com

Sodeca Portugal, Unip. Lda.

Rua Veloso Salgado 1120/1138 4450-801 Leça de Palmeira Tel. +351 229 991 100 Smoke Control Solutions Mr. Antti Kontkanen Vilppulantie 9C FI-00700 Helsinki Tel. +358 400 237 434 akontkanen@sodeca.com

Pq. Emp. da Granja Pav. 29 2625-607 Vialonga Tel. +351 219 748 491

geral@sodeca.pt

LISBOA

HYVINKÄÄ Industrial Applications Mr. Jaakko Tomperi Niinistönkatu 12 FI-05800 Hyvinkää Tel. +358 451 651 333 jtomperi@sodeca.com

ALGARVE Rua da Alegria, 33 8200-569 Ferreiras Tel. +351 289 092 586

#### ITALIA Marelli Ventilazione, S.R.L. Viale del Lavoro, 28 37036 San Martino B.A.

Viale del Lavoro, 28 37036 San Martino B.A. (VR), ITALY Tel. +39 045 87 80 140 vendite@sodeca.com

#### UNITED KINGDOM Sodeca Fans UK, Ltd.

Mr. Mark Newcombe Tamworth Enterprise Centre Philip Dix House, Corporation Street, Tamworth , B79 7DN UNITED KINGDOM Tel. +44 (0) 1827 216 109 sales@sodeca.co.uk

#### **AMERICA**

geral@sodeca.pt

PORTUGAL

PORTO

### Sodeca Ventiladores, SpA.

Sra. Sofia Ormazábal Santa Bernardita 12.005 (Esquina con Puerta Sur) Bodegas 24 a 26, San Bernardo, Santiago, CHILE Tel. +56 22 840 5582 ventas.chile@sodeca.com

#### COLOMBIA Sodeca Latam, S.A.S.

Sra. Luisa Stella Prieto Calle7 No. 13 A-44 Manzana 4 Lote1, Montana Mosquera, Cundinamarca Bogotá, COLOMBIA Tel. +57 1 756 4213 ventascolombia@sodeca.co

#### PERU Sodeca Perú, S.A.C.

geral@sodeca.pt

Sr. Jose Luis Jiménez C/ Mariscal Jose Luis de Orbegoso 331. Urb. El pino. 15022, San Luis. Lima, PERÚ Tel. +51 1326 24 24 Cel. +51 994671594 comercial@sodeca.pe

#### **RUSSIA**

#### RUSSIA Sodeca, L.L.C.

Mr. Stanislav Alifanov Severnoye Shosse, 10 room 201 Business Park Plaza Ramstars 140105 Ramenskoye, Moscow region, RUSSIA Tel. +7 495 955 90 50 alifanov@sodeca.com







www.sodeca.com





**Get In Touch** 

**Call:** <u>0845 6880112</u>

Email: info@adremit.co.uk

Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard, Settle, North Yorkshire, BD24 9RH